

## USING THE BAR CODE FONTS

3 of 9 Bar Code fonts:

Coded Font	Char Set	Code Page	Height	Bar Width		W/N Ratio		Pitch (CPI)	
				240	300	240	300	240	300
X03922	C03922	T1BC39	0.3125	2	3	2.5:1	2.33:1	8	7.2
X0S3922	C03922	T1B39	0.3125	2	3	2.5:1	2.33:1	8	7.2
X03927	C03927	T1BC39	0.375	2	3	2.5:1	2.33:1	8	7.2
X0S3922	C03922	T1B39	0.375	2	3	2.5:1	2.33:1	8	7.2
X03936	C03936	T1BC39	0.500	2	3	2.5:1	2.33:1	8	7.2
X0S3936	C03936	T1B39	0.500	2	3	2.5:1	2.33:1	8	7.2
X03945	C03945	T1BC39	0.625	3	4	2.33:1	2.5:1	5.7	5.2
X0S3945	C03945	T1B39	0.625	3	5	2.33:1	2.5:1	5.7	5.2
X03954	C03954	T1BC39	0.750	4	6	2.4:1	2.5:1	5.7	5.2

The Coded Font is specified in PAGEDEFS and OGL.

The 3 of 9 Barcode is defined for the following 44 characters:

- SPACE ( )
- 0 thru 9
- A thru Z
- Period (.)
- Special characters +, \$, \*, -, /, %.

The Coded fonts beginning with XOS map the space character and the other ones insert an actual space.

**NOTE:** The 3 of 9 symbology requires a frame (start and stop) character at the beginning and end of the bar code. For example, to code "2345", actually code "\*2345\*".